







## GENERAL FEATURES

Purpose of use	Weighing Systems
Presicion	100g
IP Code	IPX6
Housing colour	RAL7035
Operating Temperature	-10°C to +50°C
Storage Temperature	-10°C to +50°C
Software	MsBus
Function LED	No
Power Supply	With cable in Control Boxes

**DIMENSION DRAWING**




ORDERING KEY

		SIB
System Architecture	M: MsBus	M
Software Code	01: Standard Software Code XX: Special Software Code The code documentation will be shared with our customers.	01
IP Degree	6: IPX6	6
Not Used	00: None	00
Not Used	00: None	00
Not used	0: None	0
Housing Colour	3: RAL7001	3
Cable	+: Internal Cable	+
Cable Type	2: Flat Cable	2
Not Used	0: None	0
Cable Lenght	9: 1000mmx5	9

Ordering example: SIBM016000003+209

## SYSTEM COMPATIBILITY

TSPM016000101+267



Compatible control  
box models

- MC73
- MC83
- MC85




 scale interface software

USB cable



4x Load Cell  
3<sup>rd</sup> party



SIBM016000003+209

### Terms of Use

The user is responsible for determining the suitability of MUKATECH products for a specific application. MUKATECH products are subject to change without prior notice.

### Document Revision Information

MUKATECH 20231005 DT.REV02

