NCS

HEALTCARE SERIES/CONTROLS

GENERAL FEATURES

Number of Keys	up to 24 buttons
Actuator Control Capacity	max. 4
IP Code	IPX6
Housing colour	RAL7035
Operating Temperature	+5°C to +40°C
Storage Temperature	-10°C to +50°C
Software	MsBus
Function LED	Yes
Power Supply	With cable in Control Boxes

DIMENSION DRAWING









ORDERING KEY

			NC S
System Architecture	M:	MsBus	M
Software Code	01: XX:	Standard Software Code Special Software Code The code documentation will be shared with our customers.	01
IP Degree	6:	IPX6	6
Button Number	18: 24: XX:	18 Buttons 24 Buttons Up to 24 buttons could be selected.	24
Membrane Item Number	XX:	Last 2 digits of frontcover item number The membrane documentation will be shared with our customers.	01
Mounting	1:	Hook Ø32 mm	1
Housing Colour	1: 2:	RAL7035 Black	1
Cable	+:	Internal Cable	+
Cable Type	1:	Spiral Cable	1
Connector	6:	Modular Jack 10P6C 90° plug	6
Cable Lenght	8: 9:	3600mm 5000mm	8

Ordering example: NCSM016240111+168

SYSTEM COMPATIBILITY

Compatible control box models
-MC73
-MC83
-MC85



NCSM016240111+168

Other compatible all Controls

Terms of Use
The user is responsible for determining the suitability of MUKATECH products for a specific application.
MUKATECH products are subject to change without prior notice.

Document Revision Information
MUKATECH 20230920 DT.REV01